AUTHOR INDEX

Allen, M. C. *See* Waksman, S. A.

Benne, E. J. *See* **Perkins, A. T.,** King, H. H., and.

Bouyoucos, G. A method for determining combined water and organic matter in soils, 259–267; A simple and rapid method for measuring the stickiness of soils, 393–401.

Clark, H. E., and Shive, J. W. Influence of continuous aeration upon the growth of tomato plants in solution cultures, 37–41.

Csiky, J. S. On the determination of the ion exchange capacity of soils, 269–279.

Eaton, F. M. Boron requirements of cotton, 301–305.

Ellis, D. Sulphur Bacteria (book review), 81–82.

Fraps, G. S., and Sterges, A. J. Causes of low nitrification capacity of certain soils, 353–363.

Fuller, J. E., and Jones, L. H. The influence of temperature on the nitrate content of soil in the presence of decomposing cellulose, 337–351.

Greaves, J. D. *See* **Greaves, J. E.**

Greaves, J. E., and Greaves, J. D. Nitrogen-fixers of leached alkali soils, 375–383.

Greene, R. A. The applicability of the azotobacter (placque) method for determining the fertility requirements of Arizona soils, 83–93.

Griggs, R. F. *See* **Smith, N. R.**

Hester, J. B. *See* **Mattson, S.**

Humfeld, H. *See* **Thom, C.**

Iyer, K. R. N. *See* **Waksman, S. A.**

Joffe, J. S. Lysimeter studies: I. Moisture percolation through the soil profile, 123–143.

Jones, H. W. Some transformations of urea and their resultant effects on the soil, 281–299.

Jones, L. H. *See* **Fuller, J. E.**

Keeney, D. L. The determination of effective strains of *Rhizobium trifolii* Dangeard, the root nodule bacteria of clover, under bacteriologically controlled conditions, 417–443.

King, H. H. *See* **Perkins, A. T.,** and Benne, E. J.

Ligon, W. S., and Pierre, W. H. Soluble aluminum studies: II. Minimum concentrations of aluminum found to be toxic to corn, sorghum, and barley in culture solutions, 307–321.

Lilleland, O. The distribution of potassium in deciduous orchard soils in California, 11–18.

McIlvaine, T. C. *See* **Pierre, W. H.,** Pohlman, G. G., and.

Marrero, J. F. *See* **Sprague, H. B.**

Mattson, S. The laws of soil colloidal behavior: IX. Amphoteric reactions and isoelectric weathering, 209–240.

Mattson, S., and Hester, J. B. The laws of soil colloidal behavior: X. Exchange neutrality and combining capacity, 459–483.

Moser, F. Preliminary studies in the use of nitrate of soda on certain Indiana soils, 445–457.

Perkins, A. T., King, H. H., and Benne, E. J. Effect of exchangeable base and soil treatments on phosphorus solubility, 385–392.

Pierre, W. H. *See* **Ligon, W. S.**

Pierre, W. H. Pohlman, G. G., and McIlvaine, T. C. Soluble aluminum studies: I. The concentration of aluminum in the displaced soil solution of naturally acid soils, 145–160.

Pohlman, G. G. *See* **Pierre, W. H.,** and McIlvaine, T. C.

Powers, W. L. Characteristics of forest soils of the northwestern United States, 1–10.

Puri, A. N. A new manometric apparatus for the mechanical analysis of soils and other disperse systems, 115–121.

Purvis, E. R. *See* **Waksman, S. A.**

Rommell, L. G. Mull and duff as biotic equilibria, 161–188.

Shive, J. W. *See* **Clark, H. E.**

Skinner, C. E. The soil as a habitat for growth of green algae, 25–28.

Smith, N. R., and Griggs, R. F. The microflora of the ash of Katmai volcano with especial reference to nitrogen fixing bacteria, 365–373.

Sprague, H. B., and Marrero, J. F. Further studies on the value of various types of organic matter for improving the physical condition of soils for plant growth, 197–208.

Sterges, A. J. *See* **Fraps, G. S.**

Sturgis, M. B. Determination of the rate of decomposition of organic matter under field conditions, 19–23.

Thom, C., and Humfeld, H. Notes on the association of microorganisms and roots, 29–36.

Thorp, J. Some important soil profiles of southern Puerto Rico, 241–257.

Waksman, S. A. Academician Konstantin Kaetonovitch Gedroiz (an obituary), 405–415.

Waksman, S. A., and Allen, M. C. Comparative rate of decomposition of composted manure and spent mushroom soil, 189–195.

Waksman, S. A., and Iyer, K. R. N. Contribution to our knowledge of the chemical nature and origin of humus: I. On the synthesis of the "humus nucleus," 43–69; II. The influence of "synthesized" humus compounds and of "natural humus" upon soil microbiological processes, 71–77.

Waksman, S. A., and Purvis, E. R. The microbiological population of peat, 95–113; The influence of moisture upon the rapidity of decomposition of lowmoor peat, 323–336.

SUBJECT INDEX

Acidity, exchange, concept of, 223.
Actinomyces—*see* also Microörganisms.
  absence of, in volcanic ash, 367.
  distribution of, around roots of plants, 33.
Algae, soil as a habitat for, 25–28.
Alkali soils, crust of, analysis, 250.
Alkalinity, exchange, concept of, 223.
Aluminum—
  behavior of, in isoelectric precipitation of silicic acid, 228.
  humates, colloid nature of, 476.
  hydroxide, colloid nature of, 472.
  phosphate, colloid nature of, 474.
  relation to—
    isoelectric point of colloid complex, 465.
    specific resistance of soil solution, 155.
  soil solution, concentration of, in, 145–160.
  solubility of, as affected by anions, 153, 155.
  toxicity of soluble, to plants in culture solution, 307–321.
Ammonia nitrogen, urea conversion into, 286.
Amphoteric precipitates, reaction of, 472.
Azotobacter—
  nitrogen-fixation, as affected by—
    hydrogen-ion concentration, 89.
    lignin, 77.
    phosphates, 91.
    soil humus, 77.
  placque method for study of fertility of soil, 83–93.
Bacteria—*see* also Microörganisms.
  agglutination tests for nitrogen-fixing, 430.
  apparatus for bacteriologically controlled cultures of, 425.
  B. radiobacter, in volcanic ash, 367.
  distribution of, around roots of plants, 33.
  new species (probably) in alkali soils, 376.
  nitrifying—*see* also Nitrification
    addition of, to soils, 357.
    persistence of, in dry soil, 357.
  nitrogen-fixing, in volcanic ash, 365.
  Rhizobium trifolii—
    bacteriologically controlled cultures, 423.
    determination of effective strains, 417–443.
  Sulfur (book review), 81–82.
Barley, toxicity of aluminum to, 307.
Base-exchange—
  capacity, concept of, 463.
  capacity of—
    artificial mixtures of various soil colloids, 7.
    clay colloids, 8.
    forest profiles, 3, 7.
    peat, 8.
Base, exchangeable, effect on phosphorus solubility, 385–392.
Boron requirements of cotton, 301–305.
Calcium—
  carbonate, effect on nitrate mobilization, 346.
  in grasses, 16.
Cane trash, composition of, 22.
Carbon—
  nitrogen ratio, in cane trash organic matter, 21.
  organic, in cane trash, 22.
Cellulose, effect on—
  lignin decomposition, 73.
  nitrate content of soil, 337.
Clover, root nodule bacteria for, 417.
Colloids—
  amphoteric reactions of, 209.
  base-exchange capacity of soil, 7, 8.
  exchange acidity of, 223, 459.
  exchange alkalinity of, 223, 459.
  exchange capacity of, 462.
  exchange equivalents of, 464.
  exchange neutrality, 461.
  hydrolysis of, 218.
  isoelectric pH of, 461.
  maximum stability of, 222.
  nature of complexes of, 209.

neutralization of, 212, 216.
organic, tendency to form isoelectric complexes, 239.
silica-sesquioxide ratio in various soil, 229.
silica-strong base ratio in soil, 234.
ultimate pH of, 223, 462.
Corn—
nitrate of soda effect on yield of, 447.
roots of, associated with microörganisms, 31.
toxicity of aluminum to, 307.
Cotton, boron requirements of, 301.
Culture solution, *see* Nutrient solution.
Duff, definition of, 161.
Electrodialysis, soil colloids, as affected by, 460.
Fungi—*see* also Microörganisms.
Agaricus campestris—
action of, on peat, 193.
decomposition effects of, on manure, 192.
decomposition of organic matter by, and its effect on successive microbial activity, 192.
distribution of around roots of plants, 33.
in volcanic ash, 367.
Trichoderma, mycelium of, decomposition, 74.
Grasses, composition of 24 varieties of, 16.
Gedroiz, K. K., obituary, 403, 405–415.
Humates of iron and aluminum, 476.
Humus—
chemical nature and origin of, 43–79.
content of duff and mull, 165.
duff type of, layer, 161, 179.
mull type of, layer, 161, 179.
soil, decomposition of, 58, 72.
solubility of, as influenced by Agaricus campestris, 194.
volume weight of various types of, layers, 165.
Hydrogen-ion concentration—
as affected by leaching soluble salts, 293.
effect on—
aluminum concentration in soil solution, 149.
nitrogen fixation by Azotobacter, 89.
plant growth with respect to aluminum concentration, 312.
of—
forest soils, 5.
soil cultures as affected by NH_3 and NO_3, 286.
Hydrolysis—
acid, 224.
basic, 224.
discussion on, 218.
Iron—
behavior of, in isoelectric precipitation of silicic acid, 228.
humates, colloid nature of, 476.
hydroxide, colloid nature of, 472.
phosphate, colloid nature of, 474.
Isoelectric point—
of colloids, 461.
plant injury in relation to, 465.
Lignin—
casein, decomposition of, 53.
effect on—
cellulose decomposition, 73.
glucose decomposition, 72.
protein decomposition, 50.
preparation of, 48.
protein compounds, synthesis of, 57.
Lysimeter—
critical review of, studies, 123.
leachings, sampling and analyzing, 131.
new type of, 129.
Magnesium, in grasses, 16.
Manometric apparatus for mechanical analysis of soils, 115.
Manure, horse, composition of, 190.
Microbiological population of peat, 95–113.
Microörganisms—*see* also Bacteria, Fungi, Actinomycetes.
association of, and roots, 29–36.
effect on, lignin, 50.
media for, 33.
number of—
in undrained peat bog, 101.
in volcanic ash, 367.
relation to—
roots of plants, 29–36.
soil acidity, 32.
Moisture—*see* also Soil moisture, Water.
percolation, as affected by—
precipitation, 133.
temperature, 133.
percolation, through soil profile, 123.

Mull, definition of, 161.
Mushroom, effect on—
  manure, 190.
  peat, 193.
  solubility of humus, 194.
Nitrate—
  content of—
    in mull and duff, 181.
    soil in the presence of decomposing cellulose, 337–351.
  effect on tomato growth, 346.
  mobilization in presence of calcium carbonate or sulfate, 346.
  nitrogen—
    rate of, formation as influenced by temperature, 291.
    urea conversion into, 286.
Nitrates—
  in top decimeter of soil, 181.
  relation to soil respiration, 181.
Nitrification—
  capacity of certain soils, 353–359.
  nitrite relation to, 359.
  of ammonium sulfate, 356.
Nitrites, relation of nitrification to, 359.
Nitrogen—
  fixation—*see* also Azotobacter, Bacteria.
    by various organisms, 380.
    efficiency of, by strains of Rhizobium, 432.
    experiments, 370.
  fixers in leached alkali soils, 375–383.
  in cane trash organic matter, 21, 22.
  in forest soils, 7.
Nutrient solution—
  aluminum toxicity to plants in, 307.
  tomato growth in, 37.
Organic matter—
  as affected by drying, 201.
  cane trash, nitrogen in, 21.
  decomposition rate of, 19–28, 204.
  forest soil, content, 7.
  method of determining, 259–267.
  moisture absorption by, 201.
  types of, for improving physical condition of soils, 197–208.
Peat—
  bacteria distribution in, profile, 101.
  base-exchange capacity of, 8.
  decomposition of, as affected by—
    moisture, 98.
    treatment, 98.
  lowmoor, decomposition of—
    as influenced by moisture, 323–336.
    by *Agaricus campestris*, 193.
  microbiological population of, 95–113.
  profile—
    chemical conditions in a, 104, 106.
    distribution of bacteria in, 101, 105.
    physical conditions in a, 104, 106.
Phosphoric acid, solubility effect of, on aluminum in soil solution, 154.
Phosphorus solubility, as affected by—
  calcium chloride, 389.
  exchangeable base, 385.
  potassium chloride, 389.
Plant—
  growth as affected by soluble aluminum, 311.
  roots, association of microörganisms and, 29.
Potassium—
  distribution of, in—
    orchard soils, 11.
    various soil depths, 12, 15.
  in grasses, 16.
  replaceable, in relation to soil depth, 14, 15.
  water soluble, of dry soil, 12.
Protein and protein humates, colloidal behavior of, 477.
Puerto Rico—
  climate of, 241.
  soil profiles of southern, 241.
  vegetation of, 242.
River waters, silica base ratio in various, 232.
Rye, microörganisms associated with roots of, 30.
Silica sesquioxide ratio in colloids of various soils, 229.
Sodium—
  in grasses, 16.
  nitrate for Indiana soils, 445–457.
Soil—
  colloidal behavior, laws of, 209–240, 459–483.
  colloids, base-exchange capacity of a mixture of, 7; *see* also Colloids.
  depths, distribution of potassium in various, 12, 15.
  humus, *see* Humus.
  moisture, percolation through profile, 123.

mushroom, decomposition rate of, 189–195.
nitrates, in top decimeter of the, 181; *see* also Nitrate, Nitrates.
organic matter, *see* Organic Matter.
profile—
bacteria distribution in peat, 101.
chemical characteristics of forest, 3.
microörganic characteristics of forest, 3.
moisture percolation through the, 123–143.
physical characteristics of forest, 3.
profiles of southern Puerto Rico, 241–257.
respiration, 171.
sampling, significance of, with depth, 17.
solution—
aluminum concentration in, 145.
as affected by seasonal variations, 151.
hydrogen-ion concentration of, 148.
specific resistance relation between, and aluminum content, 155.
treatment, effect on phosphorus solubility, 385.
types, colloid reactions in several, 461.
urea transformation in the, 281–299.
Soils—
acid, aluminum concentration in, 152.
alkali crusts of Puerto Rico, chemical analysis of, 250.
alkali, nitrogen-fixers of leached, 375.
classification of, chemical viewpoint, 478.
clay content of, and its relation to stickiness, 397.
fertility, determination of, by the Azotobacter method, 83.
forest—
base-exchange capacity of, 7.
characteristics of, 1–10.
chemical characteristics, 3.
hydrogen-ion concentration of, 5.
microbial properties of, 3.
moisture absorption by, 4.
nitrogen in, 7.
organic matter content in, 7.
physical properties of, 3.
reaction of, 3.
respiration of, 173.
ion exchange, capacity, determination of, 269–279; *see* also Base exchange.
mechanical analyses of, by a manometric apparatus, 115–121.
orchard, distribution of potassium in California, 11–18.
physical condition of, improving with organic matter, 197.
plastic limit of, and its relation to stickiness, 398.
podzolized, amphoteric reactions of, 466.
Puerto Rico, 243.
silica sesquioxide ratio in colloids of various, 229.
stickiness of, method for measuring, 393–401.
Sorghum, toxicity of aluminum to, 307.
Sulfur Bacteria (book review), 81–82.
Timothy, nitrate of soda for, 454.
Tobacco, microörganisms associated with, roots, 32.
Tomato—
nitrate effect on, 346.
plants, aeration effects on growth in solution culture, 37–41.
Urea transformation—
as affected by—
moisture in the soil, 284.
time, 284.
in the soil, 281.
Vetch, microörganisms associated with roots of, 30.
Volcano ash, microflora in, 365–373.
Water, method for determining combined, 259–267; *see* also Moisture.
Weathering—
climate in relation to isoelectric, 227.
isoelectric, and amphoteric reactions, 209–240.
laterite process of, 238.
Wheat, nitrate of soda for, 450.